



# Y変位図


現地形




掘削



造成後




供用  
(交通荷重)




# X変位図


現地形




掘削



造成後




供用  
(交通荷重)




# 弾塑性図


現地形




掘削




造成後




供用  
(交通荷重)






B-B' 断面  
GH=7.10m




沈下量 (cm)



10m範囲の相 対沈下量	位置 X(m)	隆起量 (cm)			10m範囲の相 対沈下量	位置 X(m)	隆起量 (cm)		
		交通荷重	盛土終了	掘削			交通荷重	盛土終了	掘削
0.0	-60.0	0.405	0.250	-0.021	-0.04	-30.0	0.515	0.308	0.002
0.0	-59.5	0.405	0.250	-0.021	-0.05	-29.5	0.508	0.304	0.004
0.0	-59.0	0.406	0.250	-0.021	-0.06	-29.0	0.501	0.299	0.005
0.0	-58.5	0.407	0.251	-0.021	-0.06	-28.5	0.493	0.294	0.007
0.0	-58.0	0.407	0.251	-0.021	-0.07	-28.0	0.485	0.289	0.009
0.0	-57.5	0.408	0.252	-0.021	-0.08	-27.5	0.477	0.283	0.011
0.0	-57.0	0.409	0.252	-0.021	-0.09	-27.0	0.467	0.277	0.013
-0.1	-56.5	0.410	0.253	-0.021	-0.10	-26.5	0.457	0.271	0.015
-0.1	-56.0	0.412	0.254	-0.022	-0.11	-26.0	0.447	0.264	0.016
-0.1	-55.5	0.414	0.255	-0.022	-0.12	-25.5	0.436	0.256	0.018
-0.1	-55.0	0.416	0.256	-0.022	-0.13	-25.0	0.424	0.249	0.020
-0.1	-54.5	0.419	0.258	-0.022	-0.14	-24.5	0.412	0.241	0.022
-0.1	-54.0	0.421	0.259	-0.022	-0.15	-24.0	0.400	0.233	0.024
-0.1	-53.5	0.423	0.260	-0.022	-0.16	-23.5	0.387	0.224	0.026
-0.1	-53.0	0.425	0.262	-0.022	-0.17	-23.0	0.374	0.216	0.028
-0.1	-52.5	0.428	0.263	-0.022	-0.18	-22.5	0.360	0.206	0.030
-0.1	-52.0	0.429	0.264	-0.023	-0.19	-22.0	0.345	0.197	0.032
-0.1	-51.5	0.431	0.265	-0.023	-0.20	-21.5	0.329	0.186	0.034
-0.1	-51.0	0.432	0.265	-0.023	-0.21	-21.0	0.313	0.175	0.036
-0.1	-50.5	0.433	0.266	-0.023	-0.23	-20.5	0.295	0.164	0.039
-0.1	-50.0	0.435	0.267	-0.024	-0.24	-20.0	0.276	0.151	0.041
-0.1	-49.5	0.437	0.268	-0.024	-0.25	-19.5	0.255	0.138	0.044
-0.03	-49.0	0.438	0.268	-0.024	-0.27	-19.0	0.233	0.123	0.047
-0.03	-48.5	0.436	0.267	-0.025	-0.28	-18.5	0.209	0.108	0.050
-0.03	-48.0	0.437	0.267	-0.025	-0.30	-18.0	0.184	0.092	0.054
-0.04	-47.5	0.446	0.273	-0.025	-0.32	-17.5	0.158	0.075	0.057
-0.05	-47.0	0.455	0.278	-0.025	-0.34	-17.0	0.130	0.057	0.060
-0.05	-46.5	0.464	0.283	-0.025	-0.36	-16.5	0.102	0.038	0.064
-0.06	-46.0	0.472	0.288	-0.025	-0.38	-16.0	0.072	0.019	0.068
-0.07	-45.5	0.481	0.294	-0.024	-0.40	-15.5	0.041	-0.002	0.071
-0.07	-45.0	0.489	0.298	-0.024	-0.42	-15.0	0.007	-0.023	0.075
-0.08	-44.5	0.496	0.303	-0.024	-0.44	-14.5	-0.028	-0.046	0.079
-0.08	-44.0	0.502	0.306	-0.024	-0.46	-14.0	-0.064	-0.070	0.084
-0.08	-43.5	0.506	0.308	-0.024	-0.49	-13.5	-0.104	-0.096	0.088
-0.09	-43.0	0.511	0.311	-0.024	-0.52	-13.0	-0.146	-0.123	0.093
-0.09	-42.5	0.514	0.313	-0.024	-0.55	-12.5	-0.190	-0.152	0.098
-0.09	-42.0	0.517	0.315	-0.024	-0.58	-12.0	-0.239	-0.183	0.105
-0.09	-41.5	0.520	0.316	-0.024	-0.62	-11.5	-0.289	-0.215	0.111
-0.09	-41.0	0.524	0.318	-0.024	-0.65	-11.0	-0.339	-0.248	0.116
-0.10	-40.5	0.528	0.321	-0.024	-0.69	-10.5	-0.397	-0.285	0.123
-0.10	-40.0	0.533	0.323	-0.024	-0.73	-10.0	-0.458	-0.323	0.132
-0.10	-39.5	0.537	0.326	-0.023	-0.78	-9.5	-0.525	-0.364	0.141
-0.11	-39.0	0.542	0.328	-0.022	-0.83	-9.0	-0.595	-0.407	0.152
-0.11	-38.5	0.545	0.331	-0.021	-0.88	-8.5	-0.669	-0.453	0.163
-0.11	-38.0	0.548	0.332	-0.020	-0.93	-8.0	-0.747	-0.501	0.174
-0.11	-37.5	0.551	0.334	-0.019	-0.99	-7.5	-0.830	-0.551	0.187
-0.10	-37.0	0.553	0.335	-0.019	-1.04	-7.0	-0.912	-0.601	0.200
-0.09	-36.5	0.555	0.336	-0.018	-1.11	-6.5	-1.007	-0.658	0.215
-0.08	-36.0	0.556	0.336	-0.017	-1.17	-6.0	-1.102	-0.715	0.230
-0.08	-35.5	0.556	0.336	-0.016	-1.24	-5.5	-1.200	-0.774	0.245
-0.07	-35.0	0.556	0.336	-0.014	-1.31	-5.0	-1.306	-0.838	0.262
-0.06	-34.5	0.555	0.335	-0.013	-1.39	-4.5	-1.419	-0.906	0.280
-0.05	-34.0	0.552	0.333	-0.011	-1.48	-4.0	-1.541	-0.979	0.299
-0.05	-33.5	0.550	0.332	-0.010	-1.57	-3.5	-1.671	-1.056	0.321
-0.05	-33.0	0.546	0.329	-0.008	-1.67	-3.0	-1.812	-1.138	0.347
-0.04	-32.5	0.542	0.327	-0.006	-1.78	-2.5	-1.970	-1.228	0.378
-0.04	-32.0	0.538	0.324	-0.005	-1.89	-2.0	-2.126	-1.306	0.416
-0.04	-31.5	0.533	0.320	-0.003	-2.02	-1.5	-2.305	-1.399	0.455
-0.03	-31.0	0.527	0.317	-0.001	-2.14	-1.0	-2.475	-1.448	0.513
-0.04	-30.5	0.521	0.313	0.000	-2.14	-0.5	-2.538	-1.347	0.585

10m範囲の相 対沈下量	位置 X(m)	隆起量(cm)		
		交通荷重	盛土終了	掘削
-2.62	0.0	-3.078	-1.692	0.688
-3.00	0.5	-3.529	-2.056	1.070
-3.37	1.0	-3.965	-2.406	1.118
-3.71	1.5	-4.377	-2.729	1.040
-3.96	2.0	-4.707	-2.966	0.654
-4.17	2.5	-5.000	-3.171	0.591
-4.35	3.0	-5.263	-3.350	0.526
-4.50	3.5	-5.511	-3.518	0.461
-4.64	4.0	-5.739	-3.672	0.407
-4.75	4.5	-5.947	-3.811	0.363
-4.84	5.0	-6.141	-3.941	0.327
-4.90	5.5	-6.317	-4.058	0.297
-4.94	6.0	-6.477	-4.163	0.272
-4.95	6.5	-6.619	-4.256	0.251
-4.93	7.0	-6.745	-4.335	0.232
-4.89	7.5	-6.856	-4.403	0.216
-4.83	8.0	-6.952	-4.460	0.201
-4.73	8.5	-7.036	-4.506	0.188
-4.63	9.0	-7.109	-4.544	0.176
-4.63	9.5	-7.170	-4.572	0.165
-4.14	10.0	-7.222	-4.593	0.154
-3.74	10.5	-7.265	-4.606	0.144
-3.34	11.0	-7.300	-4.611	0.136
-2.95	11.5	-7.327	-4.611	0.127
-2.64	12.0	-7.346	-4.604	0.119
-2.36	12.5	-7.360	-4.591	0.112
-2.11	13.0	-7.368	-4.574	0.105
-1.86	13.5	-7.372	-4.554	0.098
-1.63	14.0	-7.371	-4.530	0.092
-1.43	14.5	-7.368	-4.505	0.086
-1.23	15.0	-7.362	-4.478	0.081
-1.06	15.5	-7.355	-4.453	0.075
-0.90	16.0	-7.348	-4.429	0.070
-0.75	16.5	-7.342	-4.408	0.065
-0.63	17.0	-7.337	-4.388	0.060
-0.52	17.5	-7.334	-4.371	0.056
-0.42	18.0	-7.331	-4.356	0.051
-0.34	18.5	-7.329	-4.342	0.047
-0.26	19.0	-7.328	-4.330	0.044
-0.20	19.5	-7.327	-4.319	0.040
-0.15	20.0	-7.327	-4.309	0.037
-0.11	20.5	-7.327	-4.300	0.033
-0.07	21	-7.327	-4.292	0.030
-0.04	21.5	-7.327	-4.285	0.027
-0.04	22	-7.328	-4.278	0.024
-0.04	22.5	-7.329	-4.272	0.022
-0.04	23	-7.329	-4.266	0.019
-0.04	23.5	-7.331	-4.262	0.017
-0.04	24	-7.332	-4.258	0.014
-0.04	24.5	-7.334	-4.255	0.012
-0.04	25	-7.336	-4.253	0.010
-0.03	25.5	-7.339	-4.251	0.008
-0.02	26	-7.342	-4.251	0.006
-0.02	26.5	-7.347	-4.252	0.005
-0.03	27	-7.352	-4.255	0.003
-0.03	27.5	-7.358	-4.259	0.001
-0.04	28	-7.364	-4.263	0.000
-0.04	28.5	-7.372	-4.270	-0.001
-0.05	29	-7.380	-4.277	-0.003
-0.06	29.5	-7.389	-4.285	-0.004


10m範囲の相 対沈下量	位置 X(m)	隆起量(cm)		
		交通荷重	盛土終了	掘削
-0.07	30	-7.398	-4.294	-0.005
-0.08	30.5	-7.408	-4.304	-0.006
-0.09	31	-7.419	-4.315	-0.007
-0.10	31.5	-7.430	-4.326	-0.008
-0.11	32	-7.441	-4.338	-0.009
-0.12	32.5	-7.453	-4.351	-0.010
-0.14	33	-7.466	-4.364	-0.011
-0.15	33.5	-7.478	-4.377	-0.012
-0.16	34	-7.491	-4.392	-0.012
-0.17	34.5	-7.505	-4.406	-0.013
-0.18	35	-7.518	-4.421	-0.014
-0.19	35.5	-7.532	-4.436	-0.014
-0.20	36	-7.546	-4.452	-0.015
-0.21	36.5	-7.560	-4.468	-0.015
-0.22	37	-7.575	-4.484	-0.016
-0.23	37.5	-7.590	-4.501	-0.016
-0.24	38	-7.605	-4.518	-0.016
-0.25	38.5	-7.620	-4.535	-0.017
-0.26	39	-7.635	-4.553	-0.017
-0.26	39.5	-7.651	-4.571	-0.017
-0.27	40	-7.667	-4.589	-0.018
-0.27	40.5	-7.683	-4.607	-0.018
-0.28	41	-7.699	-4.625	-0.018
-0.29	41.5	-7.716	-4.644	-0.018
-0.29	42	-7.732	-4.663	-0.018
-0.30	42.5	-7.749	-4.682	-0.018
-0.30	43	-7.766	-4.701	-0.018
-0.31	43.5	-7.783	-4.720	-0.019
-0.31	44	-7.800	-4.740	-0.019
-0.31	44.5	-7.818	-4.760	-0.019
-0.32	45	-7.836	-4.780	-0.019
-0.32	45.5	-7.854	-4.800	-0.019
-0.33	46	-7.872	-4.820	-0.019
-0.33	46.5	-7.890	-4.841	-0.019
-0.33	47	-7.909	-4.861	-0.019
-0.34	47.5	-7.928	-4.882	-0.019
-0.34	48	-7.946	-4.903	-0.019
-0.35	48.5	-7.965	-4.925	-0.019
-0.35	49	-7.984	-4.946	-0.019
-0.35	49.5	-8.003	-4.967	-0.019
-0.36	50	-8.022	-4.988	-0.018
-0.36	50.5	-8.041	-5.010	-0.018
-0.36	51	-8.060	-5.031	-0.018
-0.36	51.5	-8.079	-5.052	-0.018
-0.36	52	-8.097	-5.072	-0.018
-0.37	52.5	-8.115	-5.092	-0.018
-0.37	53	-8.132	-5.112	-0.018
-0.37	53.5	-8.149	-5.131	-0.018
-0.37	54	-8.166	-5.149	-0.018
-0.36	54.5	-8.181	-5.167	-0.018
-0.36	55	-8.196	-5.183	-0.018
-0.36	55.5	-8.210	-5.199	-0.018
-0.35	56	-8.222	-5.213	-0.018
-0.34	56.5	-8.234	-5.226	-0.018
-0.34	57	-8.244	-5.238	-0.018
-0.33	57.5	-8.253	-5.249	-0.018
-0.31	58	-8.260	-5.257	-0.018
-0.30	58.5	-8.266	-5.264	-0.018
-0.29	59	-8.270	-5.269	-0.018
-0.27	59.5	-8.272	-5.271	-0.018
-0.25	60	-8.273	-5.272	-0.018






# メッシュ変位図


現地形




掘削



造成後




供用  
(交通荷重)




# Y変位図


現地形




掘削



造成後




供用  
(交通荷重)




# X変位図


現地形




掘削



造成後




供用  
(交通荷重)




# 弾塑性図


現地形




掘削




造成後





供用  
(交通荷重)





B-B' 断面  
GH=6.70m



10m範囲の相 対沈下量	位置 X(m)	隆起量 (cm)			10m範囲の相 対沈下量	位置 X(m)	隆起量 (cm)		
		交通荷重	盛土終了	掘削			交通荷重	盛土終了	掘削
	-60.0	0.321	0.168	-0.017	-0.04	-30.0	0.390	0.185	0.002
0.0	-59.5	0.322	0.168	-0.017	-0.05	-29.5	0.384	0.182	0.003
0.0	-59.0	0.322	0.168	-0.017	-0.06	-29.0	0.378	0.177	0.005
0.0	-58.5	0.323	0.168	-0.017	-0.06	-28.5	0.371	0.173	0.006
0.0	-58.0	0.323	0.169	-0.017	-0.07	-28.0	0.364	0.169	0.008
0.0	-57.5	0.324	0.169	-0.017	-0.08	-27.5	0.356	0.164	0.009
0.0	-57.0	0.325	0.169	-0.017	-0.09	-27.0	0.348	0.159	0.010
0.0	-56.5	0.326	0.170	-0.017	-0.10	-26.5	0.339	0.153	0.012
0.0	-56.0	0.327	0.171	-0.017	-0.10	-26.0	0.330	0.148	0.013
-0.1	-55.5	0.329	0.171	-0.017	-0.11	-25.5	0.320	0.142	0.015
-0.1	-55.0	0.331	0.172	-0.017	-0.12	-25.0	0.310	0.136	0.017
-0.1	-54.5	0.332	0.173	-0.018	-0.13	-24.5	0.300	0.130	0.018
-0.1	-54.0	0.334	0.174	-0.018	-0.14	-24.0	0.290	0.124	0.020
-0.1	-53.5	0.336	0.175	-0.018	-0.15	-23.5	0.279	0.118	0.021
-0.1	-53.0	0.338	0.176	-0.018	-0.15	-23.0	0.269	0.111	0.023
-0.1	-52.5	0.340	0.177	-0.018	-0.16	-22.5	0.257	0.104	0.024
-0.1	-52.0	0.341	0.177	-0.018	-0.17	-22.0	0.245	0.097	0.026
-0.1	-51.5	0.343	0.178	-0.018	-0.18	-21.5	0.232	0.090	0.028
-0.1	-51.0	0.344	0.179	-0.019	-0.18	-21.0	0.219	0.082	0.029
-0.1	-50.5	0.345	0.179	-0.019	-0.19	-20.5	0.204	0.073	0.031
-0.1	-50.0	0.347	0.180	-0.019	-0.20	-20.0	0.188	0.064	0.033
-0.1	-49.5	0.349	0.181	-0.019	-0.21	-19.5	0.171	0.054	0.036
-0.03	-49.0	0.349	0.181	-0.019	-0.23	-19.0	0.152	0.043	0.038
-0.03	-48.5	0.349	0.181	-0.020	-0.24	-18.5	0.132	0.031	0.041
-0.03	-48.0	0.350	0.182	-0.020	-0.25	-18.0	0.111	0.019	0.043
-0.03	-47.5	0.357	0.185	-0.020	-0.27	-17.5	0.090	0.006	0.046
-0.04	-47.0	0.363	0.188	-0.020	-0.28	-17.0	0.067	-0.007	0.049
-0.04	-46.5	0.370	0.191	-0.020	-0.30	-16.5	0.043	-0.021	0.052
-0.05	-46.0	0.376	0.194	-0.020	-0.31	-16.0	0.019	-0.035	0.054
-0.05	-45.5	0.382	0.197	-0.020	-0.33	-15.5	-0.007	-0.050	0.057
-0.06	-45.0	0.388	0.199	-0.019	-0.35	-15.0	-0.036	-0.066	0.061
-0.06	-44.5	0.393	0.202	-0.019	-0.36	-14.5	-0.064	-0.083	0.064
-0.06	-44.0	0.397	0.204	-0.019	-0.38	-14.0	-0.093	-0.100	0.067
-0.07	-43.5	0.401	0.205	-0.019	-0.41	-13.5	-0.128	-0.120	0.071
-0.07	-43.0	0.405	0.207	-0.019	-0.43	-13.0	-0.162	-0.139	0.075
-0.07	-42.5	0.408	0.208	-0.019	-0.45	-12.5	-0.197	-0.159	0.079
-0.07	-42.0	0.410	0.210	-0.019	-0.48	-12.0	-0.238	-0.183	0.084
-0.07	-41.5	0.413	0.211	-0.019	-0.51	-11.5	-0.280	-0.207	0.089
-0.07	-41.0	0.416	0.212	-0.019	-0.54	-11.0	-0.321	-0.231	0.094
-0.07	-40.5	0.419	0.213	-0.019	-0.57	-10.5	-0.369	-0.259	0.099
-0.08	-40.0	0.422	0.215	-0.019	-0.61	-10.0	-0.422	-0.289	0.106
-0.08	-39.5	0.425	0.216	-0.018	-0.65	-9.5	-0.480	-0.323	0.114
-0.08	-39.0	0.428	0.217	-0.018	-0.69	-9.0	-0.541	-0.358	0.122
-0.08	-38.5	0.430	0.217	-0.017	-0.74	-8.5	-0.605	-0.395	0.131
-0.08	-38.0	0.432	0.218	-0.016	-0.79	-8.0	-0.674	-0.435	0.141
-0.08	-37.5	0.433	0.218	-0.015	-0.84	-7.5	-0.748	-0.477	0.151
-0.07	-37.0	0.434	0.218	-0.015	-0.89	-7.0	-0.821	-0.518	0.161
-0.06	-36.5	0.434	0.218	-0.014	-0.95	-6.5	-0.905	-0.566	0.174
-0.06	-36.0	0.434	0.217	-0.013	-1.01	-6.0	-0.990	-0.615	0.186
-0.05	-35.5	0.434	0.216	-0.012	-1.07	-5.5	-1.077	-0.665	0.199
-0.05	-35.0	0.433	0.215	-0.011	-1.13	-5.0	-1.169	-0.718	0.213
-0.04	-34.5	0.431	0.213	-0.010	-1.20	-4.5	-1.267	-0.774	0.227
-0.04	-34.0	0.428	0.211	-0.009	-1.28	-4.0	-1.372	-0.835	0.244
-0.03	-33.5	0.425	0.209	-0.008	-1.36	-3.5	-1.491	-0.903	0.262
-0.03	-33.0	0.421	0.206	-0.006	-1.46	-3.0	-1.625	-0.979	0.284
-0.03	-32.5	0.417	0.203	-0.005	-1.60	-2.5	-1.792	-1.072	0.311
-0.02	-32.0	0.412	0.200	-0.003	-1.74	-2.0	-1.980	-1.179	0.343
-0.03	-31.5	0.407	0.196	-0.002	-1.92	-1.5	-2.199	-1.304	0.378
-0.03	-31.0	0.402	0.193	-0.001	-2.16	-1.0	-2.479	-1.466	0.431
-0.04	-30.5	0.396	0.189	0.001	-2.45	-0.5	-2.823	-1.655	0.503

10m範囲の相 対沈下量	位置 X(m)	隆起量(cm)		
		交通荷重	盛土終了	掘削
-2.96	0.0	-3.384	-2.017	0.594
-3.11	0.5	-3.592	-2.131	0.916
-3.26	1.0	-3.804	-2.246	0.917
-3.42	1.5	-4.021	-2.365	0.628
-3.57	2.0	-4.247	-2.487	0.503
-3.71	2.5	-4.457	-2.599	0.442
-3.83	3.0	-4.647	-2.700	0.389
-3.91	3.5	-4.819	-2.790	0.342
-3.98	4.0	-4.971	-2.868	0.303
-4.03	4.5	-5.106	-2.936	0.271
-4.06	5.0	-5.225	-2.994	0.245
-4.06	5.5	-5.329	-3.044	0.223
-4.05	6.0	-5.419	-3.084	0.205
-4.01	6.5	-5.497	-3.117	0.190
-3.94	7.0	-5.566	-3.144	0.176
-3.83	7.5	-5.624	-3.163	0.164
-3.69	8.0	-5.674	-3.177	0.153
-3.52	8.5	-5.716	-3.184	0.143
-3.27	9.0	-5.750	-3.186	0.134
-2.95	9.5	-5.776	-3.181	0.125
-2.41	10.0	-5.796	-3.172	0.117
-2.22	10.5	-5.809	-3.156	0.110
-2.01	11.0	-5.815	-3.134	0.103
-1.79	11.5	-5.815	-3.108	0.097
-1.57	12.0	-5.809	-3.075	0.091
-1.36	12.5	-5.797	-3.038	0.085
-1.17	13.0	-5.781	-2.996	0.080
-1.00	13.5	-5.760	-2.951	0.075
-0.84	14.0	-5.736	-2.903	0.070
-0.71	14.5	-5.712	-2.856	0.065
-0.59	15.0	-5.689	-2.813	0.061
-0.49	15.5	-5.669	-2.775	0.057
-0.40	16.0	-5.654	-2.742	0.053
-0.32	16.5	-5.641	-2.714	0.049
-0.25	17.0	-5.631	-2.690	0.046
-0.19	17.5	-5.623	-2.668	0.042
-0.20	18.0	-5.616	-2.649	0.039
-0.21	18.5	-5.610	-2.631	0.036
-0.21	19.0	-5.605	-2.615	0.033
-0.22	19.5	-5.600	-2.600	0.030
-0.22	20.0	-5.595	-2.586	0.027
-0.22	20.5	-5.591	-2.573	0.025
-0.23	21	-5.587	-2.561	0.023
-0.23	21.5	-5.584	-2.550	0.020
-0.23	22	-5.581	-2.540	0.018
-0.22	22.5	-5.578	-2.530	0.016
-0.21	23	-5.575	-2.521	0.014
-0.19	23.5	-5.573	-2.513	0.012
-0.17	24	-5.571	-2.506	0.011
-0.14	24.5	-5.570	-2.500	0.009
-0.12	25	-5.570	-2.495	0.007
-0.10	25.5	-5.570	-2.492	0.006
-0.08	26	-5.572	-2.490	0.004
-0.07	26.5	-5.575	-2.489	0.003
-0.06	27	-5.579	-2.491	0.002
-0.05	27.5	-5.584	-2.494	0.001
-0.05	28	-5.591	-2.498	-0.001
-0.04	28.5	-5.598	-2.505	-0.002
-0.04	29	-5.607	-2.512	-0.003
-0.05	29.5	-5.616	-2.521	-0.004

10m範囲の相 対沈下量	位置 X(m)	隆起量(cm)		
		交通荷重	盛土終了	掘削
-0.06	30	-5.626	-2.531	-0.005
-0.07	30.5	-5.637	-2.541	-0.005
-0.08	31	-5.649	-2.553	-0.006
-0.09	31.5	-5.661	-2.565	-0.007
-0.10	32	-5.673	-2.578	-0.008
-0.12	32.5	-5.686	-2.591	-0.008
-0.13	33	-5.700	-2.605	-0.009
-0.14	33.5	-5.714	-2.620	-0.009
-0.16	34	-5.728	-2.635	-0.010
-0.17	34.5	-5.743	-2.651	-0.011
-0.19	35	-5.758	-2.667	-0.011
-0.20	35.5	-5.773	-2.684	-0.011
-0.22	36	-5.788	-2.701	-0.012
-0.23	36.5	-5.804	-2.718	-0.012
-0.24	37	-5.821	-2.736	-0.012
-0.25	37.5	-5.837	-2.754	-0.013
-0.26	38	-5.854	-2.773	-0.013
-0.27	38.5	-5.871	-2.791	-0.013
-0.28	39	-5.888	-2.810	-0.013
-0.29	39.5	-5.905	-2.830	-0.014
-0.30	40	-5.923	-2.849	-0.014
-0.30	40.5	-5.941	-2.869	-0.014
-0.31	41	-5.959	-2.889	-0.014
-0.32	41.5	-5.977	-2.909	-0.014
-0.32	42	-5.996	-2.930	-0.014
-0.33	42.5	-6.014	-2.950	-0.014
-0.33	43	-6.033	-2.971	-0.014
-0.34	43.5	-6.052	-2.992	-0.015
-0.34	44	-6.071	-3.013	-0.015
-0.35	44.5	-6.090	-3.034	-0.015
-0.35	45	-6.109	-3.055	-0.015
-0.36	45.5	-6.129	-3.077	-0.015
-0.36	46	-6.149	-3.098	-0.015
-0.36	46.5	-6.169	-3.120	-0.015
-0.37	47	-6.189	-3.142	-0.015
-0.37	47.5	-6.209	-3.165	-0.015
-0.38	48	-6.230	-3.187	-0.015
-0.38	48.5	-6.250	-3.210	-0.015
-0.38	49	-6.271	-3.233	-0.015
-0.39	49.5	-6.292	-3.256	-0.014
-0.39	50	-6.312	-3.279	-0.014
-0.39	50.5	-6.333	-3.301	-0.014
-0.40	51	-6.354	-3.324	-0.014
-0.40	51.5	-6.374	-3.346	-0.014
-0.40	52	-6.394	-3.369	-0.014
-0.40	52.5	-6.414	-3.390	-0.014
-0.40	53	-6.433	-3.412	-0.014
-0.40	53.5	-6.452	-3.432	-0.014
-0.40	54	-6.470	-3.452	-0.014
-0.40	54.5	-6.488	-3.472	-0.014
-0.40	55	-6.505	-3.490	-0.014
-0.39	55.5	-6.520	-3.508	-0.014
-0.39	56	-6.535	-3.524	-0.014
-0.38	56.5	-6.549	-3.539	-0.014
-0.37	57	-6.561	-3.553	-0.014
-0.36	57.5	-6.571	-3.565	-0.014
-0.35	58	-6.580	-3.575	-0.014
-0.34	58.5	-6.587	-3.583	-0.014
-0.32	59	-6.592	-3.590	-0.014
-0.30	59.5	-6.595	-3.593	-0.014
-0.28	60	-6.596	-3.594	-0.014