



X変位図


現地形




掘削



造成後




供用
(交通荷重)




弾塑性図


現地形




掘削




造成後





供用
(交通荷重)





C-C' 断面
GH=7.50m




—●— 交通荷重 —●— 盛土終了 —●— 掘削 —●— 既往道路

10m範囲の相 対沈下量	沈下量 (cm)					10m範囲の相 対沈下量	沈下量 (cm)				
	位置 X(m)	交通荷重	盛土終了	掘削	既往道路		位置 X(m)	交通荷重	盛土終了	掘削	既往道路
-0.12	-60.0	-6.346	-5.295	0.013	0.023	-0.16	-30.0	-5.989	-4.916	0.017	0.018
-0.12	-59.5	-6.339	-5.287	0.013	0.023	-0.17	-29.5	-5.979	-4.906	0.017	0.017
-0.11	-59.0	-6.331	-5.278	0.013	0.023	-0.17	-29.0	-5.968	-4.895	0.016	0.015
-0.11	-58.5	-6.323	-5.270	0.013	0.023	-0.18	-28.5	-5.958	-4.884	0.016	0.014
-0.10	-58.0	-6.315	-5.262	0.013	0.023	-0.18	-28.0	-5.947	-4.873	0.016	0.013
-0.10	-57.5	-6.308	-5.253	0.013	0.023	-0.19	-27.5	-5.936	-4.863	0.015	0.011
-0.09	-57.0	-6.300	-5.246	0.013	0.023	-0.19	-27.0	-5.925	-4.852	0.015	0.010
-0.09	-56.5	-6.293	-5.238	0.013	0.023	-0.20	-26.5	-5.914	-4.841	0.014	0.008
-0.09	-56.0	-6.286	-5.231	0.013	0.023	-0.20	-26.0	-5.903	-4.831	0.014	0.006
-0.08	-55.5	-6.279	-5.224	0.013	0.023	-0.20	-25.5	-5.891	-4.820	0.013	0.005
-0.08	-55.0	-6.273	-5.218	0.013	0.023	-0.21	-25.0	-5.880	-4.809	0.012	0.003
-0.08	-54.5	-6.267	-5.212	0.014	0.023	-0.21	-24.5	-5.868	-4.799	0.011	0.000
-0.08	-54.0	-6.261	-5.206	0.014	0.024	-0.21	-24.0	-5.856	-4.788	0.010	-0.002
-0.07	-53.5	-6.256	-5.201	0.014	0.024	-0.22	-23.5	-5.844	-4.777	0.010	-0.004
-0.07	-53.0	-6.251	-5.196	0.014	0.024	-0.22	-23.0	-5.831	-4.766	0.008	-0.007
-0.07	-52.5	-6.246	-5.191	0.014	0.024	-0.22	-22.5	-5.819	-4.755	0.007	-0.010
-0.07	-52.0	-6.242	-5.186	0.014	0.024	-0.23	-22.0	-5.805	-4.743	0.006	-0.013
-0.07	-51.5	-6.237	-5.182	0.014	0.024	-0.23	-21.5	-5.792	-4.731	0.005	-0.016
-0.07	-51.0	-6.233	-5.178	0.014	0.024	-0.23	-21.0	-5.778	-4.719	0.003	-0.019
-0.07	-50.5	-6.229	-5.174	0.014	0.024	-0.24	-20.5	-5.763	-4.707	0.002	-0.022
-0.07	-50.0	-6.226	-5.170	0.015	0.025	-0.24	-20.0	-5.748	-4.694	0.000	-0.026
-0.07	-49.5	-6.222	-5.166	0.015	0.025	-0.25	-19.5	-5.732	-4.681	-0.001	-0.030
-0.11	-49.0	-6.219	-5.162	0.015	0.025	-0.25	-19.0	-5.716	-4.668	-0.003	-0.034
-0.11	-48.5	-6.215	-5.159	0.015	0.025	-0.26	-18.5	-5.699	-4.654	-0.005	-0.038
-0.10	-48.0	-6.212	-5.155	0.015	0.025	-0.27	-18.0	-5.682	-4.639	-0.007	-0.043
-0.10	-47.5	-6.209	-5.152	0.015	0.025	-0.27	-17.5	-5.664	-4.625	-0.009	-0.048
-0.09	-47.0	-6.206	-5.149	0.015	0.025	-0.28	-17.0	-5.645	-4.609	-0.011	-0.053
-0.09	-46.5	-6.202	-5.145	0.016	0.025	-0.29	-16.5	-5.625	-4.593	-0.014	-0.058
-0.09	-46.0	-6.199	-5.142	0.016	0.026	-0.30	-16.0	-5.605	-4.577	-0.016	-0.063
-0.08	-45.5	-6.196	-5.139	0.016	0.026	-0.31	-15.5	-5.583	-4.559	-0.019	-0.069
-0.08	-45.0	-6.193	-5.135	0.016	0.026	-0.32	-15.0	-5.561	-4.541	-0.022	-0.075
-0.08	-44.5	-6.190	-5.132	0.016	0.026	-0.33	-14.5	-5.537	-4.521	-0.024	-0.081
-0.08	-44.0	-6.186	-5.129	0.016	0.026	-0.34	-14.0	-5.512	-4.501	-0.027	-0.088
-0.07	-43.5	-6.183	-5.125	0.016	0.026	-0.36	-13.5	-5.485	-4.480	-0.030	-0.095
-0.07	-43.0	-6.179	-5.121	0.017	0.026	-0.37	-13.0	-5.458	-4.457	-0.033	-0.102
-0.07	-42.5	-6.175	-5.117	0.017	0.026	-0.39	-12.5	-5.428	-4.433	-0.036	-0.109
-0.07	-42.0	-6.172	-5.113	0.017	0.026	-0.41	-12.0	-5.397	-4.407	-0.039	-0.117
-0.07	-41.5	-6.167	-5.108	0.017	0.026	-0.43	-11.5	-5.365	-4.380	-0.042	-0.125
-0.07	-41.0	-6.163	-5.104	0.017	0.026	-0.45	-11.0	-5.330	-4.352	-0.045	-0.134
-0.07	-40.5	-6.158	-5.099	0.017	0.026	-0.47	-10.5	-5.294	-4.321	-0.047	-0.143
-0.07	-40.0	-6.153	-5.093	0.017	0.026	-0.49	-10.0	-5.255	-4.289	-0.050	-0.153
-0.07	-39.5	-6.148	-5.087	0.018	0.026	-0.52	-9.5	-5.215	-4.255	-0.052	-0.163
-0.08	-39.0	-6.142	-5.081	0.018	0.026	-0.55	-9.0	-5.171	-4.219	-0.053	-0.173
-0.08	-38.5	-6.136	-5.075	0.018	0.026	-0.58	-8.5	-5.124	-4.180	-0.055	-0.185
-0.08	-38.0	-6.130	-5.068	0.018	0.026	-0.61	-8.0	-5.074	-4.138	-0.055	-0.197
-0.09	-37.5	-6.123	-5.061	0.018	0.026	-0.65	-7.5	-5.018	-4.093	-0.055	-0.210
-0.09	-37.0	-6.116	-5.053	0.018	0.025	-0.69	-7.0	-4.957	-4.043	-0.054	-0.224
-0.09	-36.5	-6.109	-5.045	0.018	0.025	-0.74	-6.5	-4.888	-3.988	-0.052	-0.239
-0.10	-36.0	-6.101	-5.037	0.018	0.025	-0.80	-6.0	-4.808	-3.924	-0.049	-0.256
-0.10	-35.5	-6.093	-5.028	0.018	0.025	-0.87	-5.5	-4.718	-3.854	-0.045	-0.275
-0.11	-35.0	-6.085	-5.019	0.018	0.024	-0.95	-5.0	-4.616	-3.775	-0.041	-0.294
-0.11	-34.5	-6.077	-5.009	0.018	0.024	-1.04	-4.5	-4.495	-3.681	-0.033	-0.316
-0.12	-34.0	-6.068	-5.000	0.018	0.023	-1.16	-4.0	-4.355	-3.573	-0.026	-0.341
-0.12	-33.5	-6.059	-4.990	0.018	0.023	-1.29	-3.5	-4.197	-3.451	-0.017	-0.369
-0.13	-33.0	-6.049	-4.980	0.018	0.022	-1.44	-3.0	-4.021	-3.316	-0.011	-0.400
-0.14	-32.5	-6.040	-4.970	0.018	0.022	-1.60	-2.5	-3.830	-3.169	-0.019	-0.435
-0.14	-32.0	-6.030	-4.959	0.018	0.021	-1.77	-2.0	-3.630	-3.015	-0.049	-0.473
-0.15	-31.5	-6.020	-4.949	0.018	0.020	-1.95	-1.5	-3.420	-2.854	-0.219	-0.516
-0.15	-31.0	-6.010	-4.938	0.018	0.019	-2.08	-1.0	-3.253	-2.727	0.350	-0.565
-0.16	-30.5	-6.000	-4.927	0.017	0.019	-2.19	-0.5	-3.100	-2.611	0.282	-0.617


10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-2.31	0.0	-2.949	-2.497	-0.425	-0.688
-2.42	0.5	-2.791	-2.411	-0.631	-0.904
-2.38	1.0	-2.958	-2.596	-0.978	-1.275
-2.33	1.5	-2.923	-2.628	-1.149	-1.450
-2.28	2.0	-2.985	-2.660	-1.370	-1.699
-2.23	2.5	-2.889	-2.659	-1.450	-1.750
-2.17	3.0	-2.797	-2.592	-1.492	-1.775
-2.19	3.5	-2.703	-2.520	-1.541	-1.790
-2.20	4.0	-2.607	-2.444	-1.568	-1.794
-2.21	4.5	-2.506	-2.360	-1.577	-1.781
-2.22	5.0	-2.400	-2.269	-1.568	-1.755
-2.21	5.5	-2.289	-2.173	-1.548	-1.679
-2.33	6.0	-2.021	-1.917	-1.355	-1.512
-2.41	6.5	-1.791	-1.699	-1.280	-1.345
-2.61	7.0	-1.409	-1.329	-0.890	-1.021
-2.78	7.5	-1.054	-0.984	-0.601	-0.722
-2.71	8.0	-0.917	-0.857	-0.523	-0.635
-2.60	8.5	-0.820	-0.768	-0.474	-0.578
-2.52	9.0	-0.730	-0.686	-0.432	-0.530
-2.45	9.5	-0.650	-0.612	-0.396	-0.486
-2.41	10.0	-0.573	-0.542	-0.361	-0.445
-2.48	10.5	-0.505	-0.481	-0.331	-0.411
-2.54	11.0	-0.443	-0.425	-0.306	-0.380
-2.60	11.5	-0.386	-0.373	-0.282	-0.351
-2.65	12.0	-0.333	-0.326	-0.260	-0.326
-2.61	12.5	-0.284	-0.282	-0.241	-0.302
-2.56	13.0	-0.240	-0.243	-0.224	-0.282
-2.50	13.5	-0.199	-0.206	-0.209	-0.262
-2.45	14.0	-0.161	-0.172	-0.195	-0.245
-2.38	14.5	-0.125	-0.140	-0.182	-0.229
-2.31	15.0	-0.093	-0.112	-0.171	-0.215
-2.23	15.5	-0.062	-0.084	-0.160	-0.201
-1.99	16.0	-0.034	-0.058	-0.150	-0.188
-1.79	16.5	-0.005	-0.033	-0.140	-0.176
-1.43	17.0	0.019	-0.011	-0.132	-0.165
-1.10	17.5	0.042	0.009	-0.124	-0.154
-0.98	18.0	0.064	0.028	-0.116	-0.145
-0.90	18.5	0.084	0.046	-0.109	-0.136
-0.83	19.0	0.103	0.063	-0.103	-0.127
-0.77	19.5	0.121	0.079	-0.096	-0.118
-0.71	20.0	0.137	0.094	-0.090	-0.110
-0.66	20.5	0.153	0.108	-0.084	-0.103
-0.61	21.0	0.167	0.121	-0.079	-0.095
-0.57	21.5	0.181	0.133	-0.073	-0.088
-0.53	22.0	0.194	0.144	-0.068	-0.082
-0.49	22.5	0.205	0.155	-0.063	-0.075
-0.46	23.0	0.216	0.165	-0.058	-0.069
-0.43	23.5	0.227	0.175	-0.054	-0.063
-0.40	24.0	0.236	0.183	-0.050	-0.058
-0.37	24.5	0.245	0.191	-0.045	-0.052
-0.35	25.0	0.253	0.199	-0.041	-0.047
-0.32	25.5	0.261	0.206	-0.038	-0.042
-0.30	26.0	0.268	0.212	-0.034	-0.038
-0.28	26.5	0.274	0.218	-0.031	-0.033
-0.26	27.0	0.280	0.224	-0.027	-0.029
-0.24	27.5	0.285	0.228	-0.024	-0.025
-0.23	28.0	0.290	0.233	-0.021	-0.021
-0.21	28.5	0.294	0.237	-0.018	-0.018
-0.20	29.0	0.298	0.241	-0.016	-0.014
-0.18	29.5	0.301	0.244	-0.013	-0.011

10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-0.17	30.0	0.305	0.247	-0.011	-0.008
-0.15	30.5	0.307	0.250	-0.009	-0.005
-0.14	31.0	0.310	0.252	-0.006	-0.003
-0.13	31.5	0.312	0.254	-0.004	0.000
-0.12	32.0	0.313	0.256	-0.002	0.002
-0.11	32.5	0.315	0.258	-0.001	0.005
-0.10	33.0	0.316	0.259	0.001	0.007
-0.09	33.5	0.317	0.260	0.003	0.009
-0.08	34.0	0.317	0.261	0.004	0.011
-0.07	34.5	0.318	0.261	0.006	0.012
-0.07	35.0	0.318	0.262	0.007	0.014
-0.06	35.5	0.318	0.262	0.008	0.016
-0.05	36.0	0.318	0.262	0.009	0.017
-0.04	36.5	0.317	0.262	0.010	0.018
-0.04	37.0	0.317	0.262	0.011	0.020
-0.03	37.5	0.316	0.262	0.012	0.021
-0.03	38.0	0.316	0.261	0.013	0.022
-0.02	38.5	0.315	0.261	0.014	0.023
-0.02	39.0	0.314	0.260	0.015	0.024
-0.02	39.5	0.313	0.259	0.015	0.025
-0.01	40.0	0.312	0.259	0.016	0.025
-0.01	40.5	0.310	0.258	0.017	0.026
-0.01	41.0	0.309	0.257	0.017	0.027
-0.01	41.5	0.308	0.256	0.018	0.027
-0.01	42.0	0.307	0.255	0.018	0.028
-0.01	42.5	0.305	0.254	0.019	0.028
-0.01	43.0	0.304	0.253	0.019	0.029
-0.02	43.5	0.302	0.252	0.019	0.029
-0.02	44.0	0.301	0.251	0.020	0.030
-0.02	44.5	0.300	0.250	0.020	0.030
-0.02	45.0	0.298	0.249	0.020	0.030
-0.02	45.5	0.297	0.248	0.021	0.031
-0.02	46.0	0.295	0.246	0.021	0.031
-0.02	46.5	0.294	0.245	0.021	0.031
-0.02	47.0	0.293	0.244	0.021	0.031
-0.02	47.5	0.292	0.244	0.021	0.032
-0.03	48.0	0.291	0.243	0.022	0.032
-0.03	48.5	0.290	0.242	0.022	0.032
-0.03	49.0	0.289	0.241	0.022	0.032
-0.03	49.5	0.288	0.240	0.022	0.032
-0.03	50.0	0.287	0.239	0.022	0.032
-0.03	50.5	0.285	0.238	0.022	0.032
-0.03	51.0	0.284	0.238	0.022	0.032
-0.03	51.5	0.283	0.237	0.022	0.033
-0.03	52.0	0.280	0.234	0.022	0.033
-0.03	52.5	0.280	0.234	0.022	0.033
-0.03	53.0	0.279	0.233	0.022	0.033
-0.02	53.5	0.278	0.232	0.022	0.033
-0.02	54.0	0.277	0.231	0.022	0.033
-0.02	54.5	0.276	0.231	0.023	0.033
-0.02	55.0	0.275	0.230	0.023	0.033
-0.02	55.5	0.274	0.229	0.023	0.033
-0.02	56.0	0.273	0.229	0.023	0.033
-0.02	56.5	0.273	0.228	0.023	0.033
-0.02	57.0	0.272	0.228	0.023	0.033
-0.02	57.5	0.272	0.227	0.023	0.033
-0.02	58.0	0.271	0.227	0.023	0.033
-0.02	58.5	0.271	0.227	0.023	0.033
-0.02	59.0	0.271	0.227	0.023	0.033
-0.02	59.5	0.271	0.227	0.023	0.033
-0.02	60.0	0.271	0.227	0.023	0.033




メッシュ変位図


現地形



掘削



造成後



供用
(交通荷重)

