



Y変位図


現地形




掘削



造成後




供用
(交通荷重)




X変位図


現地形




掘削



造成後




供用
(交通荷重)




弾塑性図


現地形




掘削




造成後




供用
(交通荷重)





C-C' 断面
GH=7.10m




10m範囲の相対沈下量	沈下量 (cm)				
	位置 X(m)	交通荷重	盛土終了	掘削	既往道路
-0.12	-60.0	-4.640	-3.588	0.014	0.023
-0.12	-59.5	-4.629	-3.577	0.014	0.023
-0.12	-59.0	-4.619	-3.566	0.014	0.023
-0.11	-58.5	-4.609	-3.556	0.014	0.023
-0.10	-58.0	-4.600	-3.546	0.014	0.023
-0.10	-57.5	-4.592	-3.538	0.014	0.023
-0.09	-57.0	-4.584	-3.530	0.015	0.023
-0.09	-56.5	-4.577	-3.523	0.015	0.023
-0.09	-56.0	-4.570	-3.516	0.015	0.023
-0.08	-55.5	-4.564	-3.510	0.015	0.023
-0.08	-55.0	-4.558	-3.504	0.015	0.023
-0.08	-54.5	-4.553	-3.499	0.015	0.023
-0.08	-54.0	-4.547	-3.494	0.015	0.024
-0.08	-53.5	-4.543	-3.489	0.015	0.024
-0.08	-53.0	-4.538	-3.484	0.015	0.024
-0.08	-52.5	-4.533	-3.479	0.015	0.024
-0.08	-52.0	-4.529	-3.474	0.015	0.024
-0.08	-51.5	-4.524	-3.470	0.016	0.024
-0.07	-51.0	-4.520	-3.465	0.016	0.024
-0.08	-50.5	-4.516	-3.461	0.016	0.024
-0.08	-50.0	-4.512	-3.457	0.016	0.025
-0.08	-49.5	-4.508	-3.453	0.016	0.025
-0.12	-49.0	-4.504	-3.449	0.016	0.025
-0.11	-48.5	-4.501	-3.445	0.016	0.025
-0.10	-48.0	-4.497	-3.442	0.017	0.025
-0.10	-47.5	-4.494	-3.438	0.017	0.025
-0.09	-47.0	-4.490	-3.434	0.017	0.025
-0.09	-46.5	-4.487	-3.431	0.017	0.025
-0.09	-46.0	-4.483	-3.427	0.017	0.026
-0.08	-45.5	-4.480	-3.424	0.017	0.026
-0.08	-45.0	-4.477	-3.420	0.017	0.026
-0.08	-44.5	-4.473	-3.416	0.018	0.026
-0.08	-44.0	-4.469	-3.413	0.018	0.026
-0.08	-43.5	-4.466	-3.409	0.018	0.026
-0.08	-43.0	-4.462	-3.405	0.018	0.026
-0.08	-42.5	-4.458	-3.401	0.018	0.026
-0.08	-42.0	-4.454	-3.396	0.018	0.026
-0.08	-41.5	-4.449	-3.392	0.018	0.026
-0.07	-41.0	-4.445	-3.387	0.018	0.026
-0.08	-40.5	-4.440	-3.381	0.019	0.026
-0.08	-40.0	-4.434	-3.376	0.019	0.026
-0.08	-39.5	-4.428	-3.369	0.019	0.026
-0.08	-39.0	-4.422	-3.363	0.019	0.026
-0.09	-38.5	-4.415	-3.355	0.019	0.026
-0.09	-38.0	-4.408	-3.347	0.019	0.026
-0.09	-37.5	-4.400	-3.339	0.019	0.026
-0.10	-37.0	-4.392	-3.330	0.019	0.025
-0.10	-36.5	-4.383	-3.321	0.019	0.025
-0.11	-36.0	-4.374	-3.311	0.019	0.025
-0.12	-35.5	-4.365	-3.300	0.019	0.025
-0.12	-35.0	-4.355	-3.290	0.019	0.024
-0.13	-34.5	-4.345	-3.279	0.019	0.024
-0.13	-34.0	-4.335	-3.268	0.019	0.023
-0.14	-33.5	-4.324	-3.256	0.019	0.023
-0.15	-33.0	-4.313	-3.245	0.019	0.022
-0.16	-32.5	-4.303	-3.233	0.018	0.022
-0.16	-32.0	-4.292	-3.222	0.018	0.021
-0.17	-31.5	-4.280	-3.210	0.018	0.020
-0.18	-31.0	-4.269	-3.198	0.018	0.019
-0.18	-30.5	-4.258	-3.187	0.017	0.019

10m範囲の相対沈下量	沈下量 (cm)				
	位置 X(m)	交通荷重	盛土終了	掘削	既往道路
-0.19	-30.0	-4.247	-3.175	0.017	0.018
-0.19	-29.5	-4.236	-3.164	0.017	0.017
-0.20	-29.0	-4.225	-3.152	0.016	0.015
-0.20	-28.5	-4.214	-3.141	0.016	0.014
-0.21	-28.0	-4.203	-3.130	0.015	0.013
-0.21	-27.5	-4.192	-3.120	0.015	0.011
-0.21	-27.0	-4.182	-3.109	0.014	0.010
-0.21	-26.5	-4.172	-3.099	0.013	0.008
-0.21	-26.0	-4.161	-3.090	0.012	0.006
-0.21	-25.5	-4.151	-3.081	0.012	0.005
-0.21	-25.0	-4.142	-3.072	0.011	0.003
-0.21	-24.5	-4.132	-3.063	0.010	0.000
-0.21	-24.0	-4.122	-3.054	0.009	-0.002
-0.21	-23.5	-4.112	-3.046	0.007	-0.004
-0.21	-23.0	-4.102	-3.037	0.006	-0.007
-0.21	-22.5	-4.092	-3.028	0.005	-0.010
-0.21	-22.0	-4.081	-3.020	0.003	-0.013
-0.21	-21.5	-4.071	-3.011	0.002	-0.016
-0.21	-21.0	-4.060	-3.002	0.000	-0.019
-0.21	-20.5	-4.049	-2.993	-0.002	-0.022
-0.21	-20.0	-4.037	-2.984	-0.004	-0.026
-0.21	-19.5	-4.026	-2.975	-0.006	-0.030
-0.21	-19.0	-4.014	-2.966	-0.008	-0.034
-0.21	-18.5	-4.002	-2.957	-0.010	-0.038
-0.21	-18.0	-3.989	-2.947	-0.013	-0.043
-0.22	-17.5	-3.976	-2.938	-0.015	-0.048
-0.22	-17.0	-3.963	-2.928	-0.018	-0.053
-0.22	-16.5	-3.950	-2.918	-0.021	-0.058
-0.23	-16.0	-3.936	-2.908	-0.024	-0.063
-0.23	-15.5	-3.921	-2.897	-0.027	-0.069
-0.24	-15.0	-3.906	-2.886	-0.030	-0.075
-0.24	-14.5	-3.889	-2.875	-0.033	-0.081
-0.25	-14.0	-3.872	-2.862	-0.037	-0.088
-0.26	-13.5	-3.854	-2.849	-0.040	-0.095
-0.27	-13.0	-3.834	-2.835	-0.044	-0.102
-0.28	-12.5	-3.813	-2.820	-0.047	-0.109
-0.29	-12.0	-3.791	-2.803	-0.051	-0.117
-0.30	-11.5	-3.767	-2.785	-0.055	-0.125
-0.32	-11.0	-3.741	-2.765	-0.058	-0.134
-0.34	-10.5	-3.713	-2.744	-0.062	-0.143
-0.35	-10.0	-3.683	-2.721	-0.066	-0.153
-0.38	-9.5	-3.651	-2.695	-0.069	-0.163
-0.40	-9.0	-3.617	-2.669	-0.072	-0.174
-0.42	-8.5	-3.582	-2.641	-0.075	-0.185
-0.44	-8.0	-3.546	-2.612	-0.077	-0.197
-0.47	-7.5	-3.509	-2.584	-0.079	-0.210
-0.49	-7.0	-3.471	-2.555	-0.081	-0.224
-0.52	-6.5	-3.433	-2.526	-0.082	-0.239
-0.54	-6.0	-3.395	-2.499	-0.082	-0.256
-0.57	-5.5	-3.355	-2.471	-0.082	-0.274
-0.60	-5.0	-3.311	-2.442	-0.081	-0.294
-0.63	-4.5	-3.258	-2.409	-0.079	-0.317
-0.68	-4.0	-3.190	-2.368	-0.078	-0.342
-0.75	-3.5	-3.102	-2.314	-0.075	-0.369
-0.85	-3.0	-2.985	-2.241	-0.076	-0.400
-0.97	-2.5	-2.839	-2.149	-0.077	-0.435
-1.12	-2.0	-2.668	-2.039	-0.118	-0.474
-1.27	-1.5	-2.494	-1.928	-0.231	-0.519
-1.38	-1.0	-2.359	-1.843	0.206	-0.566
-1.45	-0.5	-2.264	-1.786	0.174	-0.617


10m範囲の相対沈下量	沈下量 (cm)				
	位置 X(m)	交通荷重	盛土終了	掘削	既往道路
-1.51	0.0	-2.172	-1.732	-0.511	-0.685
-1.51	0.5	-2.144	-1.772	-0.695	-0.903
-1.47	1.0	-2.388	-2.099	-1.066	-1.277
-1.44	1.5	-2.439	-2.149	-1.204	-1.451
-1.40	2.0	-2.491	-2.234	-1.368	-1.700
-1.37	2.5	-2.507	-2.282	-1.493	-1.750
-1.33	3.0	-2.452	-2.250	-1.539	-1.774
-1.29	3.5	-2.395	-2.214	-1.573	-1.789
-1.25	4.0	-2.332	-2.171	-1.596	-1.794
-1.21	4.5	-2.260	-2.116	-1.589	-1.782
-1.17	5.0	-2.180	-2.052	-1.593	-1.756
-1.16	5.5	-2.094	-1.980	-1.571	-1.681
-1.34	6.0	-1.847	-1.745	-1.377	-1.514
-1.47	6.5	-1.637	-1.547	-1.221	-1.347
-1.71	7.0	-1.278	-1.199	-0.913	-1.027
-1.90	7.5	-0.937	-0.868	-0.618	-0.724
-1.85	8.0	-0.815	-0.756	-0.539	-0.636
-1.78	8.5	-0.731	-0.680	-0.488	-0.579
-1.85	9.0	-0.654	-0.611	-0.446	-0.530
-1.92	9.5	-0.585	-0.549	-0.408	-0.487
-1.99	10.0	-0.520	-0.491	-0.373	-0.446
-2.04	10.5	-0.463	-0.439	-0.342	-0.411
-2.10	11.0	-0.411	-0.394	-0.316	-0.380
-2.14	11.5	-0.363	-0.351	-0.292	-0.352
-2.19	12.0	-0.319	-0.312	-0.270	-0.326
-2.23	12.5	-0.278	-0.276	-0.249	-0.302
-2.21	13.0	-0.242	-0.245	-0.232	-0.282
-2.19	13.5	-0.207	-0.214	-0.216	-0.263
-2.16	14.0	-0.176	-0.188	-0.202	-0.246
-2.11	14.5	-0.146	-0.162	-0.188	-0.229
-2.06	15.0	-0.120	-0.139	-0.177	-0.215
-2.00	15.5	-0.095	-0.117	-0.166	-0.201
-1.78	16.0	-0.071	-0.097	-0.155	-0.189
-1.59	16.5	-0.048	-0.077	-0.145	-0.176
-1.25	17.0	-0.028	-0.059	-0.136	-0.165
-0.93	17.5	-0.009	-0.043	-0.128	-0.155
-0.82	18.0	0.008	-0.028	-0.120	-0.145
-0.76	18.5	0.025	-0.013	-0.113	-0.136
-0.69	19.0	0.040	0.000	-0.106	-0.127
-0.64	19.5	0.055	0.013	-0.099	-0.118
-0.59	20.0	0.069	0.025	-0.093	-0.110
-0.54	20.5	0.081	0.036	-0.087	-0.103
-0.51	21.0	0.094	0.047	-0.081	-0.095
-0.47	21.5	0.105	0.057	-0.075	-0.088
-0.44	22.0	0.116	0.067	-0.070	-0.082
-0.40	22.5	0.126	0.075	-0.065	-0.075
-0.38	23.0	0.135	0.084	-0.060	-0.069
-0.35	23.5	0.144	0.092	-0.055	-0.063
-0.33	24.0	0.152	0.099	-0.050	-0.058
-0.31	24.5	0.159	0.106	-0.046	-0.052
-0.29	25.0	0.166	0.112	-0.042	-0.047
-0.27	25.5	0.173	0.118	-0.038	-0.042
-0.25	26.0	0.179	0.124	-0.034	-0.038
-0.23	26.5	0.184	0.129	-0.031	-0.033
-0.22	27.0	0.190	0.134	-0.027	-0.029
-0.20	27.5	0.194	0.138	-0.024	-0.025
-0.19	28.0	0.199	0.142	-0.021	-0.021
-0.18	28.5	0.203	0.146	-0.018	-0.018
-0.17	29.0	0.206	0.149	-0.015	-0.014
-0.15	29.5	0.209	0.153	-0.013	-0.011

10m範囲の相対沈下量	沈下量 (cm)				
	位置 X(m)	交通荷重	盛土終了	掘削	既往道路
-0.14	30.0	0.212	0.156	-0.010	-0.008
-0.13	30.5	0.215	0.158	-0.008	-0.005
-0.12	31.0	0.217	0.160	-0.006	-0.003
-0.11	31.5	0.219	0.163	-0.004	0.000
-0.11	32.0	0.221	0.164	-0.002	0.002
-0.10	32.5	0.223	0.166	0.000	0.005
-0.09	33.0	0.224	0.168	0.002	0.007
-0.08	33.5	0.225	0.169	0.004	0.009
-0.07	34.0	0.226	0.170	0.005	0.011
-0.07	34.5	0.227	0.171	0.007	0.012
-0.06	35.0	0.227	0.172	0.008	0.014
-0.06	35.5	0.228	0.172	0.009	0.016
-0.05	36.0	0.228	0.173	0.010	0.017
-0.04	36.5	0.228	0.173	0.012	0.018
-0.04	37.0	0.228	0.174	0.013	0.020
-0.03	37.5	0.228	0.174	0.014	0.021
-0.03	38.0	0.228	0.174	0.014	0.022
-0.03	38.5	0.227	0.174	0.015	0.023
-0.02	39.0	0.227	0.174	0.016	0.024
-0.02	39.5	0.227	0.174	0.017	0.025
-0.02	40.0	0.226	0.174	0.017	0.025
-0.01	40.5	0.225	0.173	0.018	0.026
-0.01	41.0	0.225	0.173	0.019	0.027
-0.01	41.5	0.224	0.172	0.019	0.027
-0.01	42.0	0.223	0.172	0.020	0.028
-0.01	42.5	0.222	0.172	0.020	0.028
-0.01	43.0	0.221	0.171	0.020	0.029
-0.01	43.5	0.221	0.170	0.021	0.029
-0.01	44.0	0.220	0.170	0.021	0.030
-0.01	44.5	0.219	0.169	0.022	0.030
-0.01	45.0	0.218	0.169	0.022	0.030
-0.01	45.5	0.217	0.168	0.022	0.031
-0.01	46.0	0.216	0.168	0.022	0.031
-0.01	46.5	0.215	0.167	0.022	0.031
-0.01	47.0	0.214	0.166	0.023	0.031
-0.01	47.5	0.214	0.166	0.023	0.032
-0.02	48.0	0.213	0.166	0.023	0.032
-0.02	48.5	0.212	0.165	0.023	0.032
-0.02	49.0	0.212	0.165	0.023	0.032
-0.02	49.5	0.211	0.164	0.023	0.032
-0.02	50.0	0.210	0.163	0.024	0.032
-0.02	50.5	0.209	0.163	0.024	0.032
-0.02	51.0	0.209	0.162	0.024	0.033
-0.02	51.5	0.208	0.162	0.024	0.033
-0.02	52.0	0.206	0.160	0.024	0.033
-0.02	52.5	0.205	0.160	0.024	0.033
-0.02	53.0	0.205	0.160	0.024	0.033
-0.02	53.5	0.204	0.159	0.024	0.033
-0.02	54.0	0.203	0.158	0.024	0.033
-0.02	54.5	0.203	0.158	0.024	0.033
-0.02	55.0	0.202	0.158	0.024	0.033
-0.02	55.5	0.201	0.157	0.024	0.033
-0.02	56.0	0.201	0.157	0.024	0.033
-0.02	56.5	0.200	0.156	0.024	0.033
-0.01	57.0	0.200	0.156	0.024	0.033
-0.01	57.5	0.200	0.156	0.024	0.033
-0.01	58.0	0.200	0.156	0.024	0.033
-0.01	58.5	0.199	0.156	0.024	0.033
-0.01	59.0	0.199	0.156	0.024	0.033
-0.01	59.5	0.199	0.156	0.024	0.033
-0.01	60.0	0.199	0.156	0.024	0.033



メッシュ変位図


現地形




掘削

擁壁を設置しないため該当なし

造成後




供用
(交通荷重)



Y変位図


現地形




掘削

擁壁を設置しないため該当なし

造成後




供用
(交通荷重)



X変位図


現地形




掘削

擁壁を設置しないため該当なし

造成後




供用
(交通荷重)



弾塑性図


現地形




掘削


擁壁を設置しないため該当なし

造成後





供用
(交通荷重)





C-C' 断面
GH=6.70m



10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-60.0	-60.0	-2.351	-1.912	0.023	0.023
-0.16	-59.5	-2.332	-1.893	0.023	0.023
-0.15	-59.0	-2.317	-1.878	0.023	0.023
-0.15	-58.5	-2.305	-1.866	0.023	0.023
-0.14	-58.0	-2.295	-1.856	0.023	0.023
-0.14	-57.5	-2.285	-1.847	0.023	0.023
-0.14	-57.0	-2.277	-1.838	0.023	0.023
-0.13	-56.5	-2.269	-1.830	0.023	0.023
-0.13	-56.0	-2.261	-1.822	0.023	0.023
-0.13	-55.5	-2.253	-1.814	0.023	0.023
-0.13	-55.0	-2.245	-1.806	0.023	0.023
-0.12	-54.5	-2.238	-1.799	0.023	0.023
-0.12	-54.0	-2.230	-1.791	0.024	0.024
-0.12	-53.5	-2.223	-1.784	0.024	0.024
-0.12	-53.0	-2.216	-1.777	0.024	0.024
-0.12	-52.5	-2.209	-1.770	0.024	0.024
-0.12	-52.0	-2.202	-1.763	0.024	0.024
-0.12	-51.5	-2.195	-1.756	0.024	0.024
-0.12	-51.0	-2.188	-1.749	0.024	0.024
-0.12	-50.5	-2.182	-1.742	0.024	0.024
-0.12	-50.0	-2.175	-1.736	0.025	0.025
-0.12	-49.5	-2.169	-1.730	0.025	0.025
-0.15	-49.0	-2.163	-1.724	0.025	0.025
-0.15	-48.5	-2.158	-1.718	0.025	0.025
-0.14	-48.0	-2.153	-1.713	0.025	0.025
-0.14	-47.5	-2.147	-1.708	0.025	0.025
-0.14	-47.0	-2.142	-1.702	0.025	0.025
-0.13	-46.5	-2.137	-1.697	0.025	0.025
-0.13	-46.0	-2.131	-1.692	0.026	0.026
-0.13	-45.5	-2.126	-1.686	0.026	0.026
-0.13	-45.0	-2.120	-1.680	0.026	0.026
-0.12	-44.5	-2.115	-1.675	0.026	0.026
-0.12	-44.0	-2.109	-1.669	0.026	0.026
-0.12	-43.5	-2.103	-1.663	0.026	0.026
-0.12	-43.0	-2.097	-1.657	0.026	0.026
-0.12	-42.5	-2.090	-1.650	0.026	0.026
-0.12	-42.0	-2.084	-1.643	0.026	0.026
-0.12	-41.5	-2.077	-1.636	0.026	0.026
-0.12	-41.0	-2.070	-1.629	0.026	0.026
-0.12	-40.5	-2.062	-1.622	0.026	0.026
-0.12	-40.0	-2.054	-1.613	0.026	0.026
-0.12	-39.5	-2.045	-1.604	0.026	0.026
-0.13	-39.0	-2.035	-1.594	0.026	0.026
-0.13	-38.5	-2.024	-1.583	0.026	0.026
-0.14	-38.0	-2.011	-1.570	0.026	0.026
-0.15	-37.5	-1.997	-1.555	0.026	0.026
-0.16	-37.0	-1.981	-1.539	0.025	0.025
-0.17	-36.5	-1.965	-1.522	0.025	0.025
-0.18	-36.0	-1.948	-1.505	0.025	0.025
-0.20	-35.5	-1.931	-1.488	0.025	0.025
-0.21	-35.0	-1.913	-1.470	0.024	0.024
-0.22	-34.5	-1.896	-1.452	0.024	0.024
-0.23	-34.0	-1.878	-1.433	0.023	0.023
-0.24	-33.5	-1.859	-1.415	0.023	0.023
-0.26	-33.0	-1.841	-1.396	0.022	0.022
-0.27	-32.5	-1.823	-1.378	0.022	0.022
-0.28	-32.0	-1.804	-1.359	0.021	0.021
-0.29	-31.5	-1.786	-1.340	0.020	0.020
-0.30	-31.0	-1.768	-1.322	0.019	0.019
-0.31	-30.5	-1.749	-1.303	0.019	0.019

10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-0.32	-30.0	-1.731	-1.285	0.018	0.018
-0.33	-29.5	-1.713	-1.267	0.017	0.017
-0.34	-29.0	-1.696	-1.249	0.015	0.015
-0.35	-28.5	-1.678	-1.232	0.014	0.014
-0.35	-28.0	-1.661	-1.215	0.013	0.013
-0.35	-27.5	-1.645	-1.198	0.011	0.011
-0.35	-27.0	-1.630	-1.183	0.010	0.010
-0.35	-26.5	-1.616	-1.170	0.008	0.008
-0.34	-26.0	-1.604	-1.158	0.006	0.006
-0.34	-25.5	-1.593	-1.147	0.005	0.005
-0.33	-25.0	-1.582	-1.136	0.003	0.003
-0.33	-24.5	-1.571	-1.126	0.000	0.000
-0.32	-24.0	-1.561	-1.116	-0.002	-0.002
-0.31	-23.5	-1.551	-1.107	-0.004	-0.004
-0.30	-23.0	-1.541	-1.098	-0.007	-0.007
-0.29	-22.5	-1.532	-1.089	-0.010	-0.010
-0.28	-22.0	-1.523	-1.080	-0.013	-0.013
-0.27	-21.5	-1.514	-1.072	-0.016	-0.016
-0.26	-21.0	-1.505	-1.064	-0.019	-0.019
-0.25	-20.5	-1.496	-1.056	-0.022	-0.022
-0.24	-20.0	-1.488	-1.049	-0.026	-0.026
-0.23	-19.5	-1.479	-1.042	-0.030	-0.030
-0.23	-19.0	-1.471	-1.034	-0.034	-0.034
-0.22	-18.5	-1.463	-1.028	-0.038	-0.038
-0.21	-18.0	-1.455	-1.021	-0.043	-0.043
-0.20	-17.5	-1.448	-1.015	-0.048	-0.048
-0.19	-17.0	-1.440	-1.009	-0.053	-0.053
-0.18	-16.5	-1.433	-1.004	-0.058	-0.058
-0.18	-16.0	-1.426	-0.998	-0.063	-0.063
-0.17	-15.5	-1.419	-0.993	-0.069	-0.069
-0.17	-15.0	-1.412	-0.988	-0.075	-0.075
-0.17	-14.5	-1.405	-0.982	-0.081	-0.081
-0.16	-14.0	-1.397	-0.976	-0.088	-0.088
-0.16	-13.5	-1.388	-0.970	-0.095	-0.095
-0.16	-13.0	-1.380	-0.964	-0.102	-0.102
-0.16	-12.5	-1.370	-0.957	-0.109	-0.109
-0.16	-12.0	-1.360	-0.949	-0.117	-0.117
-0.17	-11.5	-1.349	-0.941	-0.125	-0.125
-0.17	-11.0	-1.335	-0.929	-0.134	-0.134
-0.18	-10.5	-1.317	-0.914	-0.143	-0.143
-0.19	-10.0	-1.295	-0.895	-0.153	-0.153
-0.21	-9.5	-1.270	-0.872	-0.163	-0.163
-0.23	-9.0	-1.243	-0.848	-0.173	-0.173
-0.25	-8.5	-1.215	-0.823	-0.185	-0.185
-0.27	-8.0	-1.188	-0.799	-0.197	-0.197
-0.29	-7.5	-1.160	-0.776	-0.210	-0.210
-0.31	-7.0	-1.134	-0.753	-0.224	-0.224
-0.32	-6.5	-1.109	-0.732	-0.239	-0.239
-0.34	-6.0	-1.085	-0.713	-0.256	-0.256
-0.35	-5.5	-1.065	-0.697	-0.274	-0.274
-0.36	-5.0	-1.049	-0.688	-0.295	-0.295
-0.36	-4.5	-1.046	-0.692	-0.317	-0.317
-0.35	-4.0	-1.051	-0.704	-0.341	-0.341
-0.34	-3.5	-1.059	-0.721	-0.369	-0.369
-0.33	-3.0	-1.070	-0.742	-0.400	-0.400
-0.32	-2.5	-1.085	-0.767	-0.436	-0.436
-0.31	-2.0	-1.103	-0.796	-0.475	-0.475
-0.30	-1.5	-1.124	-0.829	-0.516	-0.516
-0.29	-1.0	-1.144	-0.864	-0.565	-0.565
-0.27	-0.5	-1.142	-0.891	-0.609	-0.609

10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-0.25	0.0	-1.097	-0.911	-0.694	-0.694
-0.22	0.5	-1.185	-1.043	-0.906	-0.906
-0.50	1.0	-1.543	-1.385	-1.275	-1.275
-0.61	1.5	-1.656	-1.546	-1.450	-1.450
-0.83	2.0	-1.878	-1.779	-1.699	-1.699
-0.86	2.5	-1.906	-1.818	-1.750	-1.750
-0.86	3.0	-1.910	-1.830	-1.774	-1.774
-0.86	3.5	-1.906	-1.835	-1.789	-1.789
-0.86	4.0	-1.893	-1.829	-1.794	-1.794
-0.86	4.5	-1.865	-1.799	-1.782	-1.782
-0.86	5.0	-1.825	-1.775	-1.756	-1.756
-0.86	5.5	-1.777	-1.694	-1.681	-1.681
-0.86	6.0	-1.560	-1.520	-1.514	-1.514
-0.85	6.5	-1.382	-1.346	-1.347	-1.347
-0.86	7.0	-1.052	-1.021	-1.027	-1.027
-1.17	7.5	-0.738	-0.712	-0.724	-0.724
-1.27	8.0	-0.641	-0.619	-0.636	-0.636
-1.33	8.5	-0.577	-0.558	-0.579	-0.579
-1.39	9.0	-0.521	-0.505	-0.531	-0.531
-1.44	9.5	-0.471	-0.458	-0.487	-0.487
-1.49	10.0	-0.424	-0.413	-0.446	-0.446
-1.53	10.5	-0.383	-0.375	-0.411	-0.411
-1.56	11.0	-0.347	-0.341	-0.380	-0.380
-1.60	11.5	-0.313	-0.310	-0.352	-0.352
-1.63	12.0	-0.283	-0.281	-0.326	-0.326
-1.66	12.5	-0.255	-0.255	-0.302	-0.302
-1.68	13.0	-0.231	-0.233	-0.282	-0.282
-1.70	13.5	-0.207	-0.211	-0.263	-0.263
-1.71	14.0	-0.187	-0.193	-0.246	-0.246
-1.70	14.5	-0.167	-0.174	-0.229	-0.229
-1.68	15.0	-0.150	-0.159	-0.215	-0.215
-1.64	15.5	-0.134	-0.143	-0.201	-0.201
-1.44	16.0	-0.119	-0.130	-0.189	-0.189
-1.28	16.5	-0.104	-0.116	-0.176	-0.176
-0.96	17.0	-0.090	-0.104	-0.165	-0.165
-0.66	17.5	-0.078	-0.093	-0.155	-0.155
-0.57	18.0	-0.067	-0.082	-0.145	-0.145
-0.52	18.5	-0.056	-0.072	-0.136	-0.136
-0.48	19.0	-0.046	-0.063	-0.127	-0.127
-0.44	19.5	-0.036	-0.054	-0.118	-0.118
-0.40	20.0	-0.027	-0.046	-0.110	-0.110
-0.36	20.5	-0.019	-0.038	-0.103	-0.103
-0.34	21.0	-0.010	-0.030	-0.095	-0.095
-0.31	21.5	-0.003	-0.023	-0.088	-0.088
-0.29	22.0	0.005	-0.016	-0.082	-0.082
-0.27	22.5	0.012	-0.009	-0.075	-0.075
-0.25	23.0	0.018	-0.003	-0.069	-0.069
-0.23	23.5	0.024	0.003	-0.063	-0.063
-0.22	24.0	0.030	0.008	-0.058	-0.058
-0.20	24.5	0.036	0.013	-0.052	-0.052
-0.19	25.0	0.041	0.018	-0.047	-0.047
-0.18	25.5	0.046	0.023	-0.042	-0.042
-0.17	26.0	0.051	0.028	-0.038	-0.038
-0.16	26.5	0.055	0.032	-0.033	-0.033
-0.15	27.0	0.059	0.036	-0.029	-0.029
-0.14	27.5	0.063	0.039	-0.025	-0.025
-0.13	28.0	0.066	0.043	-0.021	-0.021
-0.13	28.5	0.069	0.046	-0.018	-0.018
-0.12	29.0	0.073	0.049	-0.014	-0.014
-0.11	29.5	0.075	0.052	-0.011	-0.011

10m範囲の相対沈下量	位置 X(m)	沈下量 (cm)			
		交通荷重	盛土終了	掘削	既往道路
-0.11	30.0	0.078	0.055	-0.008	-0.008
-0.10	30.5	0.081	0.057	-0.005	-0.005
-0.09	31.0	0.083	0.059	-0.003	-0.003
-0.09	31.5	0.085	0.061	0.000	0.000
-0.08	32.0	0.087	0.063	0.002	0.002
-0.08	32.5	0.088	0.065	0.005	0.005
-0.07	33.0	0.090	0.067	0.007	0.007
-0.07	33.5	0.091	0.068	0.009	0.009
-0.06	34.0	0.093	0.070	0.011	0.011
-0.06	34.5	0.094	0.071	0.012	0.012
-0.05	35.0	0.095	0.072	0.014	0.014
-0.05	35.5	0.096	0.073	0.016	0.016
-0.05	36.0	0.097	0.074	0.017	0.017
-0.04	36.5	0.098	0.075	0.018	0.018
-0.04	37.0	0.098	0.076	0.020	0.020
-0.04	37.5	0.099	0.077	0.021	0.021
-0.03	38.0	0.099	0.077	0.022	0.022
-0.03	38.5	0.100	0.078	0.023	0.023
-0.03	39.0	0.100	0.078	0.024	0.024
-0.03	39.5	0.100	0.079	0.025	0.025
-0.02	40.0	0.100	0.079	0.025	0.025
-0.02	40.5	0.100	0.079	0.026	0.026
-0.02	41.0	0.101	0.079	0.027	0.027
-0.02	41.5	0.101	0.080	0.027	0.027
-0.01	42.0	0.101	0.080	0.028	0.028
-0.01	42.5	0.101	0.080	0.028	0.028
-0.01	43.0	0.100	0.080	0.029	0.029
-0.01	43.5	0.100	0.080	0.029	0.029
-0.01	44.0	0.100	0.080	0.030	0.030
-0.01	44.5	0.100	0.080	0.030	0.030
-0.01	45.0	0.100	0.080	0.030	0.030
-0.01	45.5	0.100	0.080	0.031	0.031
0.00	46.0	0.099	0.080	0.031	0.031
0.00	46.5	0.099	0.080	0.031	0.031
0.00	47.0	0.099	0.079	0.031	0.031
0.00	47.5	0.099	0.080	0.032	0.032
0.00	48.0	0.099	0.079	0.032	0.032
0.00	48.5	0.099	0.079	0.032	0.032
0.00	49.0	0.098	0.079	0.032	0.032
0.00	49.5	0.098	0.079	0.032	0.032
0.00	50.0	0.098	0.079	0.032	0.032
0.00	50.5	0.098	0.079	0.032	0.032
0.00	51.0	0.098	0.079	0.033	0.033
0.00	51.5	0.097	0.079	0.033	0.033
-0.01	52.0	0.096	0.078	0.033	0.033
-0.01	52.5	0.096	0.078	0.033	0.033
0.00	53.0	0.096	0.078	0.033	0.033
0.00	53.5	0.096	0.078	0.033	0.033
0.00	54.0	0.096	0.077	0.033	0.033
-0.01	54.5	0.095	0.077	0.033	0.033
-0.01	55.0	0.095	0.077	0.033	0.033
-0.01	55.5	0.095	0.077	0.033	0.033
0.00	56.0	0.095	0.077	0.033	0.033
0.00	56.5	0.095	0.077	0.033	0.033
-0.01	57.0	0.094	0.077	0.033	0.033
-0.01	57.5	0.094	0.076	0.033	0.033
-0.01	58.0	0.094	0.076	0.033	0.033
-0.01	58.5	0.094	0.076	0.033	0.033
0.00	59.0	0.094	0.076	0.033	0.033
0.00	59.5	0.094	0.076	0.033	0.033
0.00	60.0	0.094	0.076	0.033	0.033